CONCRETE SEALER GUIDE

POLISHED CONCRETE SEALERS

There are several types of polished concrete sealers. Penetrating sealers are made out of a variety of silicones that penetrate deep within the surface, providing protection from spills, grime, dirt and water. Semi-Pentrating sealers improve surface sheen while also providing stain resistance and water repellancy. Topical acrylic sealers form a protective film on the concrete surface, as well as providing a high glossy sheen.



Penetrating Sealers

Application: Spray & Microfiber

Ameripolish SR2 coverage: 3,000-5,000 sq ft

Husqvarna Hiperguard coverage: 2,000-3,000 sq ft

Dayton Superior Pentra Hard Guard

coverage: 1,500-3,000 sq ft





Semi-Penetrating Sealers

Application: Spray & Microfiber

Consolideck LS Guard coverage: 2,000-3,000 sq ft

Scofield Formula 1 Guard coverage: 1,500-3,000 sq ft

Amerpolish 3D SP

coverage: 2,000-2,500 sq ft





Topical Acrylic Sealers

Application: Spray or Roll

Lumiseal FX coverage: 200-400 sq ft

Endurable F1 Sealer coverage: 300-800 sq ft

Husqvarna Hiperseal coverage: 400-600 sq ft



EXTERIOR SEALERS

There are also a varity of exterior sealers. High build polyurethane sealers offer good resistance to scuffs and staining, and are best suited for decorative purposes. Solvent-based acrylic sealers are best used on stamped concrete, toppings, interiors and exposed aggregate. Water-based acrylic sealers are designed for use on existing or freshly placed concrete where uniform color and stain resistance is required.



Polyurethane Water-Based Sealer

Application: Spray

Endurable Sealer coverage: 300-800 sq ft





Acrylic Solvent-Based Sealers

Application: Spray or Roll

L&M Lumiseal Plus coverage: 200-400 sq ft

Scofield Cureseal VOC coverage: 300-500 sq ft







Acrylic Water-Based Sealers

Application: Spray, Roll, Brush or Microfiber

Scofield Cureseal - W coverage: 200-400 sq ft

Ameripolish X-Link WB coverage: 300-500 sq ft



